



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report of	Report Code	Date of Issue
Ambient Noise	N-200323-10	27/03/2023

Issued To: M/S LALITPUR POWER GENERATION COMPANY LIMITED  
VILLAGE-MIRCHWARA-BUROGAON-CHIGLAUWA, BAR-BANPUR ROAD,  
BLOCK BAR, LALITPUR- 284123 (U.P) INDIA

## SAMPLING & ANALYSIS DATA

Sample Drawn On : 16/03/2023  
Sample Drawn By : Mr. Vivek Kumar (Asia Enviro Lab)  
Sample Received On : 20/03/2023  
Sample description : Ambient Noise  
Sampling Location : Near-Admin Building  
Analysis Duration : 20/03/2023 to 27/03/2023

1	2	3	4	5	6	7	8	9	10
64.3	63.6	64.8	57.9	62.8	59.7	64.9	63.1	58.1	60.2
<u>Test Parameters</u>		<u>Results</u>	<u>Units</u>	<u>Requirement (as per CPCB Guidelines Limits in</u> <u>dB (A) Leq</u>					
Maximum Sound Level		64.9	dB(A)	Category of Area/ Zone		Day Time	As per Factories Act-1948 for Work zone Noise		
Minimum Sound Level		58.1	dB(A)	Industrial Area		75	90		
Average Value		61.4	dB(A)	Residential Area		55			
				Commercial Area		65			
				Silence Zone		50			

CHECKED BY

AUTHORIZED SIGNATORY



Note: 1. The result listed refer only to the tested samples and applicable parameters.

2. Sample will be destroyed one month from the date of issue of test certificate.

3. Any complaints about this report should be communicated within 7 days of issue of this report.

4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NDC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report of	Report Code	Date of Issue
Ambient Noise	N-200323-09	27/03/2023

Issued To: M/S LALITPUR POWER GENERATION COMPANY LIMITED  
VILLAGE-MIRCHWARA-BUROGAON-CHIGLAUWA, BAR-BANPUR ROAD,  
BLOCK BAR, LALITPUR- 284123 (U.P) INDIA

## SAMPLING & ANALYSIS DATA

Sample Drawn On : 16/03/2023  
Sample Drawn By : Mr. Vivek Kumar (Asia Enviro Lab)  
Sample Received On : 20/03/2023  
Sample description : Ambient Noise  
Sampling Location : Main Gate No-1 Near-Switch Yard  
Analysis Duration : 20/03/2023 to 27/03/2023

1	2	3	4	5	6	7	8	9	10
63.2	63.8	62.4	57.3	65.9	59.6	61.2	62.5	59.2	60.1
Test Parameters		Results	Units	Requirement (as per CPCB Guidelines Limits in dB (A) Leq					
Maximum Sound Level		65.9	dB(A)	Category of Area/ Zone	Day Time	As per Factories Act-1948 for Work zone Noise			
Minimum Sound Level		57.3	dB(A)	Industrial Area	75	90			
Average Value		61.5	dB(A)	Residential Area	55				
				Commercial Area	65				
				Silence Zone	50				

CHECKED BY

AUTHORIZED SIGNATORY

Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.





# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab : H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report of	Report Code	Date of Issue
Ambient Noise	N-200323-08	27/03/2023

Issued To: M/S LALITPUR POWER GENERATION COMPANY LIMITED  
VILLAGE-MIRCHWARA-BUROGAON-CHIGLAUWA, BAR-BANPUR ROAD,  
BLOCK BAR, LALITPUR- 284123 (U.P) INDIA

## SAMPLING & ANALYSIS DATA

Sample Drawn On : 16/03/2023  
Sample Drawn By : Mr. Vivek Kumar (Asia Enviro Lab)  
Sample Received On : 20/03/2023  
Sample description : Ambient Noise  
Sampling Location : Near-D M Plant  
Analysis Duration : 20/03/2023 to 27/03/2023

1	2	3	4	5	6	7	8	9	10
58.3	61.3	58.3	61.2	60.7	58.9	61.8	60.8	59.3	58.3
<u>Test Parameters</u>		<u>Results</u>	<u>Units</u>	<u>Requirement (as per CPCB Guidelines Limits in</u> <u>dB (A) Leq</u>					
Maximum Sound Level		61.8	dB(A)	Category of Area/ Zone		Day Time	As per Factories Act- 1948 for Work zone Noise		
Minimum Sound Level		58.3	dB(A)	Industrial Area		75	90		
Average Value		59.90	dB(A)	Residential Area		55			
				Commercial Area		65			
				Silence Zone		50			

  
CHECKED BY

  
AUTHORIZED SIGNATORY

Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report.  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report of	Report Code	Date of Issue
Ambient Noise	N-200323-07	27/03/2023

Issued To: M/S LALITPUR POWER GENERATION COMPANY LIMITED  
VILLAGE-MIRCHWARA-BUROGAON-CHIGLAUWA, BAR-BANPUR ROAD,  
BLOCK BAR, LALITPUR- 284123 (U.P) INDIA

## SAMPLING & ANALYSIS DATA

Sample Drawn On : 16/03/2023  
Sample Drawn By : Mr. Vivek Kumar (Asia Enviro Lab)  
Sample Received On : 20/03/2023  
Sample description : Ambient Noise  
Sampling Location : Near-Ash Silo  
Analysis Duration : 20/03/2023 to 27/03/2023

1	2	3	4	5	6	7	8	9	10
61.2	63.8	58.9	60.9	64.9	59.4	63.2	62.3	59.8	59.8
Test Parameters			Results	Units	Requirement (as per CPCB Guidelines Limits in				
					dB (A) Leq				
Maximum Sound Level			64.9	dB(A)	Category of Area/ Zone	Day Time	As per Factories Act-1948 for Work zone Noise		
Minimum Sound Level			58.9	dB(A)					
Average Value			61.4	dB(A)	Residential Area	55			
					Commercial Area	65			
					Silence Zone	50			

  
CHECKED BY

  
AUTHORIZED SIGNATORY

Note: 1. The result listed refer only to the tested samples and applicable parameters.

2. Sample will be destroyed one month from the date of issue of test certificate.

3. Any complaints about this report should be communicated within 7 days of issue of this report.

4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.





# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report of	Report Code	Date of Issue
Ambient Noise	N-200323-06	27/03/2023

Issued To: M/S LALITPUR POWER GENERATION COMPANY LIMITED  
VILLAGE-MIRCHWARA-BUROGAON-CHIGLAUWA, BAR-BANPUR ROAD,  
BLOCK BAR, LALITPUR- 284123 (U.P) INDIA

## SAMPLING & ANALYSIS DATA

Sample Drawn On : 16/03/2023  
Sample Drawn By : Mr. Vivek Kumar (Asia Enviro Lab)  
Sample Received On : 20/03/2023  
Sample description : Ambient Noise  
Sampling Location : Coal Crusher  
Analysis Duration : 20/03/2023 to 27/03/2023

1	2	3	4	5	6	7	8	9	10
60.7	62.8	59.2	60.1	63.8	56.4	61.7	62.7	59.5	60.5
<u>Test Parameters</u>		<u>Results</u>	<u>Units</u>	<u>Requirement (as per CPCB Guidelines Limits in</u> <u>dB (A) Leq</u>					
Maximum Sound Level		63.8	dB(A)	Category of Area/ Zone		Day Time	As per Factories Act-1948 for Work zone Noise		
Minimum Sound Level		56.4	dB(A)	Industrial Area		75	90		
Average Value		60.7	dB(A)	Residential Area		55			
				Commercial Area		65			
				Silence Zone		50			

CHECKED BY

AUTHORIZED SIGNATORY



Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report of	Report Code	Date of Issue
Ambient Noise	N-200323-05	27/03/2023

Issued To: M/S LALITPUR POWER GENERATION COMPANY LIMITED  
VILLAGE-MIRCHWARA-BUROGAON-CHIGLAUWA, BAR-BANPUR ROAD,  
BLOCK BAR, LALITPUR- 284123 (U.P) INDIA

## SAMPLING & ANALYSIS DATA

Sample Drawn On	: 16/03/2023
Sample Drawn By	: Mr. Vivek Kumar (Asia Enviro Lab)
Sample Received On	: 20/03/2023
Sample description	: Ambient Noise
Sampling Location	: Material Gate (Gate No-2)
Analysis Duration	: 20/03/2023 to 27/03/2023

1	2	3	4	5	6	7	8	9	10
63.8	62.7	62.4	62.3	62.8	63.2	64.1	61.8	62.1	62.8
Test Parameters		Results	Units	Requirement (as per CPCB Guidelines Limits in dB (A) Leq					
Maximum Sound Level		64.1	dB(A)	Category of Area/ Zone		Day Time	As per Factories Act-1948 for Work zone Noise		
Minimum Sound Level		61.8	dB(A)	Industrial Area		75	90		
Average Value		62.8	dB(A)	Residential Area		55			
				Commercial Area		65			
				Silence Zone		50			

CHECKED BY

AUTHORIZED SIGNATORY

Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report.  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.





# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing : ETP/STP Manufacturing : ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report of	Report Code	Date of Issue
Ambient Noise	N-200323-04	27/03/2023

Issued To: M/S LALITPUR POWER GENERATION COMPANY LIMITED  
VILLAGE-MIRCHWARA-BUROGAON-CHIGLAUWA, BAR-BANPUR ROAD,  
BLOCK BAR, LALITPUR- 284123 (U.P) INDIA

## SAMPLING & ANALYSIS DATA

Sample Drawn On : 16/03/2023  
Sample Drawn By : Mr. Vivek Kumar (Asia Enviro Lab)  
Sample Received On : 20/03/2023  
Sample description : Ambient Noise  
Sampling Location : Walkway Between Boiler & ESP  
Analysis Duration : 20/03/2023 to 27/03/2023

1	2	3	4	5	6	7	8	9	10
64.6	68.5	66.6	72.0	73.2	74.4	72.8	68.8	70.6	72.3
<u>Test Parameters</u>		<u>Results</u>	<u>Units</u>	<u>Requirement (as per CPCB Guidelines Limits in</u> <u>dB (A) Leq</u>					
Maximum Sound Level		74.4	dB(A)	Category of Area/ Zone		Day Time	As per Factories Act- 1948 for Work zone Noise		
Minimum Sound Level		64.6	dB(A)	Industrial Area		75	90		
Average Value		70.4	dB(A)	Residential Area		55			
				Commercial Area		65			
				Silence Zone		50			

CHECKED BY

AUTHORIZED SIGNATORY

Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report of	Report Code	Date of Issue
Ambient Noise	N-200323-03	27/03/2023

**Issued To: M/S LALITPUR POWER GENERATION COMPANY LIMITED**  
**VILLAGE-MIRCHWARA-BUROGAON-CHIGLAUWA, BAR-BANPUR ROAD,**  
**BLOCK BAR, LALITPUR- 284123 (U.P) INDIA**

## SAMPLING & ANALYSIS DATA

Sample Drawn On : 16/03/2023  
Sample Drawn By : Mr. Vivek Kumar (Asia Enviro Lab)  
Sample Received On : 20/03/2023  
Sample description : Ambient Noise  
Sampling Location : Out Side T.G Room  
Analysis Duration : 20/03/2023 to 27/03/2023

1	2	3	4	5	6	7	8	9	10
73.2	70.6	71.9	72.4	72.2	73.4	74.4	70.2	78.6	74.8
<u>Test Parameters</u>		<u>Results</u>	<u>Units</u>	<u>Requirement (as per CPCB Guidelines Limits in</u> <u>dB (A) Leq</u>					
Maximum Sound Level		78.6	dB(A)	Category of Area/ Zone		Day Time	As per Factories Act- 1948 for Work zone Noise		
Minimum Sound Level		70.2	dB(A)	Industrial Area		75	90		
Average Value		73.2	dB(A)	Residential Area		55			
				Commercial Area		65			
				Silence Zone		50			

  
**CHECKED BY**

  
**AUTHORIZED SIGNATORY**

Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report.  
4. The report is Not to be reproduced wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.





# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report of	Report Code	Date of Issue
Ambient Noise	N-200323-02	27/03/2023

Issued To: M/S LALITPUR POWER GENERATION COMPANY LIMITED  
VILLAGE-MIRCHWARA-BUROGAON-CHIGLAUWA, BAR-BANPUR ROAD,  
BLOCK BAR, LALITPUR- 284123 (U.P) INDIA

## SAMPLING & ANALYSIS DATA

Sample Drawn On : 16/03/2023  
Sample Drawn By : Mr. Vivek Kumar (Asia Enviro Lab)  
Sample Received On : 20/03/2023  
Sample description : Ambient Noise  
Sampling Location : T. G Building 17 meter  
Analysis Duration : 20/03/2023 to 27/03/2023

1	2	3	4	5	6	7	8	9	10
85.2	84.1	83.2	87.4	81.4	80.8	79.2	82.1	80.2	80.7
<u>Test Parameters</u>		<u>Results</u>	<u>Units</u>	<u>Requirement (as per CPCB Guidelines Limits in</u>					
				<u>dB (A) Leq</u>					
Maximum Sound Level		87.4	dB(A) <th colspan="2">Category of Area/ Zone</th> <th colspan="2">Day Time</th> <th colspan="2">As per Factories Act-1948 for Work zone Noise</th>	Category of Area/ Zone		Day Time		As per Factories Act-1948 for Work zone Noise	
Minimum Sound Level		79.2	dB(A) <th colspan="2">Industrial Area</th> <th colspan="2">75</th> <th colspan="2">90</th>	Industrial Area		75		90	
Average Value		82.4	dB(A)	Residential Area		55			
				Commercial Area		65			
				Silence Zone		50			

CHECKED BY

AUTHORIZED SIGNATORY



Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report.  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NDC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report of	Report Code	Date of Issue
Ambient Noise	N-200323-01	27/03/2023

Issued To: M/S LALITPUR POWER GENERATION COMPANY LIMITED  
VILLAGE-MIRCHWARA-BUROGAON-CHIGLAUWA, BAR-BANPUR ROAD,  
BLOCK BAR, LALITPUR- 284123 (U.P) INDIA

## SAMPLING & ANALYSIS DATA

Sample Drawn On : 16/03/2023  
Sample Drawn By : Mr. Vivek Kumar (Asia Enviro Lab)  
Sample Received On : 20/03/2023  
Sample description : Ambient Noise  
Sampling Location : Near-CCR Building  
Analysis Duration : 20/03/2023 to 27/03/2023

1	2	3	4	5	6	7	8	9	10
62.8	60.0	61.3	62.9	61.8	58.6	61.9	60.3	59.8	54.8
<u>Test Parameters</u>		<u>Results</u>	<u>Units</u>	<u>Requirement (as per CPCB Guidelines Limits in</u> <u>dB (A) Leq</u>					
Maximum Sound Level		62.9	dB(A)	Category of Area/ Zone		Day Time	As per Factories Act-1948 for Work zone Noise		
Minimum Sound Level		54.8	dB(A)	Industrial Area		75	90		
Average Value		60.4	dB(A)	Residential Area		55			
				Commercial Area		65			
				Silence Zone		50			

CHECKED BY

AUTHORIZED SIGNATORY

Notes: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report.  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.